

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6975692".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:09
L2	2	1 and factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:09
L3	2	2 and soft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:09
L4	1	3 and input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:11
L5	0	4 and fost same input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:11
L6	1	4 and soft same input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:16
L7	2	"6594318".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:05
L8	1	7 and factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:17
L9	1	8 and soft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:17
L10	1	9 and input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:17

L11	1	10 and soft same input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:18
L12	1	11 and factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:19
L13	1	12 and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:19
L14	1	13 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:58
L15	0	14 and memory same preselect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:48
L16	1617	memory same stor\$4 same preselect\$4 same value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:49
L17	0	16 and (soft input).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 15:49
L18	6	16 and (soft input).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 15:49
L19	1	13 and (memory and channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:58
L20	11	("5271042" "5615298" "5671221" "5867538" "6247158" "6484284").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:00

L21	3	20 and memory same channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:02
L22	2	"6975692".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:02
L23	1	22 and channel same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:03
L24	2	"6973143".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:04
L25	0	24 and memory same channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:03
L26	3	("5079547" "6047035" "6081565"). PN. OR ("6973143").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 16:04
L27	0	26 and memory same channel	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 16:04
L28	0	26 and memory	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 16:05
L29	1	7 and channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:06
L30	1	29 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:06
L31	0	30 and preselect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:06

L32	0	30 and select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:07
L33	11229	memory same stor\$4 same channel same value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:08
L34	0	31 and ((soft) and (channel or input or decoder)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:09
L35	9	33 and ((soft) and (channel or input or decoder)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:13
L36	64	("3542756" "3665396" "4295218" "5157671" "5293489" "5313609" "5396518" "5457704" "5526501" "5860085" "5864703" "5892962" "5933650" "5968198" "6002881" "6073250" "6195777" "6247158" "6266758" "6298438" "6339834" "6397240" "6838180" "6473010" "6526538" "6633856" "20040034828" "6718504" "6731700" "6754804").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:19
L37	13	36 and (memory or stor\$4) same (channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:20
L43	13	36 and (memory and soft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:24
L44	11	43 and channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:39
L45	11	44 and select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:39

L46	8	44 and select\$4 value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 16:43
L47	1	46 and preselect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 16:44
L48	2523	preselect\$4 value same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 16:46
L49	0	20 and 48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 16:44
L50	0	48 and (soft and input).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 16:45
L51	3	48 and (soft).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 16:45
L52	698	preselect\$4 channel same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 16:46
L53	0	20 and 52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 16:47
L54	2	52 and soft.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:01
L55	1285	preselect\$4 same channel same (memory or stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:02

L56	1	55 and factor same scal\$4 same soft same input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:03
L57	1	55 and scal\$4 same soft same input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:03
L58	142	55 and scal\$4 same input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:03
L59	2	58 and soft same input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:09
L60	11	55 and soft same input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:12
L61	2	"6731700".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:12
L62	1	61 and select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:13
L63	1	62 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:45
L64	0	61 and machine same read\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:46
L65	0	64 and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:46

L66	2	61 and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:46
L67	0	66 and machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:47
L68	2	"6973143".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:47
L69	0	68 and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:48
L70	0	68 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:48
L71	0	68 and comput\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:48
L72	0	68 and machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:49
L73	2	68 and red\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:50
L74	214755	machine read\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:50
L75	17278	74 and machine executable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:51

L76	138	75 and comput\$4 same scal\$4 same factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:54
L77	1	76 and preselect\$4 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:52
L78	0	76 and pre-select\$4 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:52
L79	0	76 and pre-select\$4 chanel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:52
L80	31	75 and pre-select\$4 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:53
L81	0	80 and comput\$4 same scal\$4 same factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:54
L82	0	80 and scal\$4 same factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:54
L83	31	80 and comput\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:54
L84	0	83 and scal\$4 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:55
L85	19	83 and scal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:55

L86	11	85 and factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 17:55
S1	2564	iterative decod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:31
S2	40	S1 and soft information scal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:32
S3	7	S2 and factor same scal\$4 soft information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:38
S4	5	S3 and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:46
S5	5	S4 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:39
S6	5	S5 and scal\$4 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:39
S7	5	S6 and (calcul\$4 or comput\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:39
S8	5	S7 and input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:42
S9	3	S8 and soft near4 input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:43

S10	7	S3 and receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:46
S11	3	("5079547" "6047035" "6081565"). PN. OR ("6973143").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 12:54
S12	1	S11 and soft	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 12:53
S13	0	S12 and memory	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 12:53
S14	0	S11 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 12:54
S16	4	(factor scal\$4 soft input).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:57
S17	2	(factor scal\$4 soft input).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 12:58
S18	0	S17 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 13:08
S19	561	scal\$4 soft input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 13:08
S20	70	factor scal\$4 soft input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 13:09
S21	58	S20 and receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 13:09

S22	50	S21 and scal\$4 near4 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 13:09
S23	46	S22 and input value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 13:10
S24	1	S23 and (memory or stor\$4) preselect\$4 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 13:11
S25	19	S23 and (memory or stor\$4) channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 13:33
S26	5	scal\$5 near5 soft adj input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 13:24
S27	13	scal\$5 same soft adj input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/19 13:24
S28	11	("5271042" "5615298" "5671221" "5867538" "6247158" "6484284").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:00
S29	6	S28 and (factor and soft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:37
S30	6	S29 and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:37
S31	4	S30 and soft same input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:37

S32	2	S31 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:38
S33	2	S32 and scal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:40
S34	2	S33 and soft near5 input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:09
S35	0	S34 and scal\$4 near5 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:42
S36	0	comput\$4 near5 scal\$4 near5 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:43
S37	0	comput\$4 same scal\$4 near5 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:43
S38	5525	comput\$4 same scal\$4 near5 factor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:43
S39	1	S28 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:44
S40	1	S39 and soft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:44